

NAPOLEON®

VENT FREE

FIREPLACES, STOVES & GAS LOG SETS



napoleonfireplaces.com



All the features of a direct vent fireplace... without the venting

Torch™ - GVFT8	4 - 5
Plazmafire™ - WHVF24	6 - 7
Plazmafire™ - WHVF31	6 - 7
GVF36	8 - 9
GVF42	10 - 11
Arlington™ - GVFS20	12 - 13
GVFS60	14 - 15
GVFL18, GVFL24, GVFL30, ZCVF36 & ZCVF42	16 - 17
Napoleon's Outstanding Features	18 - 19
Options & Accessories	20 - 21
Detailed Specifications	22 - 23



GVFS60 shown in painted metallic black finish with a chrome plated trivet



Why Napoleon®?

Making your life easier... Napoleon's Vent Free Collection is designed to provide you absolute comfort and control at the touch of your fingertips. It's that easy. When you install a Napoleon® vent free gas fireplace, stove or log set, you can rest assured that you will enjoy a lifetime of instant ambiance with reliable performance year after year.

An investment you can count on... Your new Napoleon® vent free gas fireplace, stove or log set adds value to your home while at the same time giving you uncompromising comfort and a reliable heating source. Aside from kitchen and bathroom renovations, fireplaces and stoves add the most return on your home investment.

Create your personal design statement... Surround yourself with a home environment that makes you feel good, relaxed and proud to reflect your decorating style. A multitude of designer options are available to create the exact statement you have been looking for.

No power? No problem!... We all feel vulnerable when the power goes out. Now you can weather out the storm in the comfort of your own home! A Napoleon® vent free gas fireplace, stove or log set requires no electricity to light or operate, a built-in millivolt system or electronic ignition with battery back-up ensures reliability even during power failures.

Beautiful fires, best flame in the industry... With advanced burner technology and innovative design, Napoleon's YELLOW DANCING FLAMES® are so realistic it's hard to tell the difference from a real wood burning fire.

Authorized dealer support network... With over 3,000 reputable authorized dealers across North America, Napoleon® works hard to provide professional, consistent training and technical education to support our dedicated team of professionals.

Outstanding reliable warranty... Each and every Napoleon® fireplace product is designed and manufactured to strict quality testing standards and backed by the President's Limited Lifetime Warranty, guaranteed to give you the peace of mind you deserve. Napoleon® is registered under the world recognized ISO 9001-2008 quality system.



Napoleon Appliance Corp.



Wolf Steel Montreal



Wolf Steel USA



Wolf Steel Manufacturing



Wolf Steel Corporate Offices



Torch™ - GVFT8


Slim Modern Design

An ultra modern vent free fireplace with a slim design featuring a reflective, prism shaped firebox. Napoleon's Torch™ features decorative glass embers, heat resistant glass and MIRRO-FLAME™ Porcelain Reflective Radiant Panels. Ideal for new construction and renovation projects, the Torch™ can be installed in hallways, entranceways, bathrooms, bedrooms, offices and spas.

Torch™
6,000 BTU's
15" w x 49 1/4" h as shown
Natural gas or propane

For more detailed specifications on this unit, see page 21

Options & Accessories



Frames/Fronts
Six Finish Options*



LED Accent Light Kit
Four Lights Included



Adjustable Mounting Cabinets
Two Finish Options*



The Torch™ shown with brushed stainless steel frame and mounting cabinet





The Torch™ shown with painted metallic black frame and mounting cabinet



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels
(standard with unit)



Plazmafire™ - WHVF24 & WHVF31

Easy Installation

Ideal for modern and contemporary rooms, the Plazmafire™ comes standard with a Topaz CRYSTALINE™ ember bed. Napoleon's Plazmafire™ features easy installation plus all of the conveniences of a vent free gas fireplace. Virtually endless installation possibilities, it's almost as easy as hanging a picture on the wall. Catalytic tiles come standard and perform as a "filter" reducing and removing combustion by-products. The Plazmafire™ 24 comes standard with a curved glass front and the Plazmafire™ 31 offers optional surrounds making it a great addition and focal point to any room.

Plazmafire™ 24	Plazmafire™ 31
Up to 9,000 BTU's	Up to 20,000 BTU's
50% flame/heat adjustment	43 5/16" w x 28" h as shown
32 3/8" w x 22" h as shown	Natural gas or propane
Natural gas or propane	

For more detailed specifications on this unit, see page 21



The Plazmafire™ 24 shown with standard curved glass front

Options & Accessories



Convex Surround
Brushed Stainless Steel Finish
(for Plazmafire™ 31 only)



Safety Screen
(for Plazmafire™ 31 only)



LED Light Kit
Two Lights Included
(for Plazmafire™ 31 only)



Rectangular Surrounds
Three Colour Options*
(for Plazmafire™ 31 only)



F45 & F60 Remote Controls
On/off or Modulating
(for Plazmafire™ 31 only)



Catalytic Filtering Tiles





The Plazmafire™ 31 shown with rectangular surround in painted black finish



Slate Brick Panel
(standard with
Plazmafire™ 31)



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels (standard
with Plazmafire™ 24)



GVF36 - 36" Fireplace

A Multitude of Different Looks

With a multitude of designer options and a room warming 30,000 BTU's, it's no wonder the GVF36 is one of the best selling vent free fireplaces in North America. Complete with Napoleon's PHAZER® logs and advanced burner technology, the GVF36 produces beautiful YELLOW DANCING FLAMES®. The GVF36 provides cutting-edge, vent free technology with many designer options to suit your style.

GVF36

Up to 30,000 BTU's

50% flame/heat adjustment

37 3/8" w x 35 1/2" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 22



Standard fireplace screen

Options & Accessories



Bay Front Kit



Ornamental Insets
Three Colour Options*



Louvres
Four Colour Options*



Bevelled Trim Kits
Four Colour Options*



Cast Iron Surrounds
Painted Black Finish



F45 & F60 Remote Controls
On/off or Modulating



Andirons
Two Colour Options*



GVF36 shown with painted black louvres



Decorative Sandstone
Brick Panels



MIRRO-FLAME
Porcelain Reflective
Radiant Panels



GVF42 - 42" Fireplace

Massive Viewing Area

A stunning 42" vent free fireplace that features a multi-level burner with realistic PHAZER® logs creating a beautiful display of YELLOW DANCING FLAMES® that fill the firebox. With the easy installation of vent free technology and the optional decorative accessories, the GVF42 efficiently transforms a room into a relaxing, warm oasis with a beautiful fireplace as the focal point.

GVF42

Up to 30,000 BTU's

50% flame/heat adjustment

42"w x 38 1/2"h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 22

Options & Accessories



Ornamental Insets
Two Colour Options*



Louvres
Three Colour Options*



Cast Iron Surround
Two Colour Options*



F45 & F60 Remote Controls
On/off or Modulating



Andirons
Two Colour Options*



GVF42 shown with painted black louvres and MIRRO-FLAME Panels





GVF42 shown with brushed stainless steel louvres and MIRRO-FLAME[®] Panels



Decorative Sandstone
Brick Panels



MIRRO-FLAME[®]
Porcelain Reflective
Radiant Panels



Arlington™ - GVFS20

Good Things Come in Small Packages

The vent free Arlington™ gas stove, although compact in size, makes a powerful statement in any room. This Early American cast iron design features exquisite detail and styling that is complimentary to a wide variety of rooms. The Arlington™ features Napoleon's advanced burner system with flame/heat adjustment and a MIRRO-FLAME™ Porcelain Reflective Radiant Panel.

Arlington™

Up to 23,000 BTU's

50% flame/heat adjustment

19 ¼" w x 25 ¾" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 22

Options & Accessories



F45 & F60 Remote Controls
On/off or Modulating



Lorena slate stove top inset






The Arlington™ shown with standard MIRRO-FLAME® Porcelain Reflective Radiant Panel



MIRRO-FLAME®
Porcelain Reflective
Radiant Panel
(standard with unit)



Stove Top Insets (natural stone - will have variances in colour and pattern)
Available in Lorena Slate, Ubatuba Green and Giallo Golden Brown finishes



GVFS60 - Gas Stove

Solid Performance, Impressive Heating

The GVFS60 is known for its solid performance and impressive heating efficiencies. Now, with its new elegant fine detailing and sleek, sophisticated outer casting design, the GVFS60 offers more than just great performance. The GVFS60 is available in porcelain enamel Majolica brown and painted metallic black finishes offering you a choice to match your room décor.

GVFS60

Up to 30,000 BTU's


50% flame/heat adjustment

27" w x 30 1/2" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 23

Options & Accessories



Cast Iron Trivet
Painted Black Finish
(standard with unit)



Cast Iron Trivet
Chrome Plated Finish



Stove Finishes
Two Colour Options*



Andirons
Painted Black Finish



F45 & F60 Remote Controls
On/off or Modulating



Solid cast iron, European design in porcelain enamel Majolica brown finish





GVFS60 shown in painted metallic black finish with a chrome plated trivet



Decorative Sandstone
Brick Panels



FIBERGLOW™ Vent Free Gas Log Sets

Endless Design Possibilities

The exclusive PHAZER® logs, crafted from ceramic fibers, together with Napoleon's advanced burner system provide an excellent additional heat source with a real wood fire appearance. Napoleon's vent free gas log sets are available in three sizes, 18", 24" and 30" and come complete with a cast iron grate, painted black andirons and lava rocks/cinders.

FIBERGLOW™ - 18" Series
 Up to 40,000 BTU's
 50% flame/heat adjustment
 18"h x 24"w x 14"d
 Natural gas or propane

FIBERGLOW™ - 24" Series
 Up to 40,000 BTU's
 50% flame/heat adjustment
 18" x 28"w x 14"d
 Natural gas or propane

FIBERGLOW™ - 30" Series
 Up to 40,000 BTU's
 50% flame/heat adjustment
 18" x 34"w x 14"d
 Natural gas or propane

For more detailed specifications on these units, see page 23



ZCVF36 zero clearance firebox, cobblestone brick kit and the FIBERGLOW™ 24" log set

Options & Accessories



18" Series



24" Series



30" Series



F45 & F60 Remote Controls
 On/off or Modulating



Zero Clearance Firebox
 with Fireplace Screen
 Available in 36" & 42"



Decorative Door Kit
 (for zero clearance firebox)



Cobblestone Brick Kit
 (for zero clearance firebox)



Lava Rocks / Cinders
 (standard with log sets)





The FIBERGLow® 30" log set shown with standard lava rocks and cinders



Outstanding Features

of Napoleon's Advanced Technology



Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic flames in the industry.

Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD[®] gas control system. Vent free models come complete with an Oxygen Depletion Sensor (ODS) for your piece of mind.

No Power? No Problem!

No electricity required to light or operate. Reliable heat even during power failures.

Exclusive PHAZER[®] Logs

Napoleon's exclusive PHAZER[®] logs create a natural wood fire appearance.

Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.

Decorative Panels



Decorative Sandstone Brick



MIRRO-FLAME
Porcelain Reflective Radiant Panels



Slate Brick Panel
(standard on WHVF31)

Louvres



Antique Brass Finish



Brushed Stainless Steel Finish



Polished Brass Finish



Painted Black Finish

Ornamental Insets



24 Karat Gold Plated Finish



Brushed Stainless Steel Finish




Painted Black Finish

Stove Top Insets



Lorena Slate



Ubatuba Green



Giallo Golden Brown

Stove Finishes




Painted Metallic
Black Finish



Porcelain Enamel
Majolica Brown Finish

Cast Iron Trivets



Painted Black Finish



Chrome Plated Finish

Andirons

Designed to stand in front of the logs and give the optimum traditional masonry look and feel. They fit directly in a bay window, bay front kit or rest inside the firebox.



Convenient Remote Controls

Napoleon's remotes with digital and modulating control give you the comfort level you need at the touch of a button.



Cast Iron Surrounds



Painted Black Finish



Porcelain Enamel Majolica Brown Finish

Bevelled Trim Kits

Available in 3" or 6"



Antique Brass Finish



Polished Brass Finish



Brushed Stainless
Steel Finish



Textured Painted
Black Finish



Cobblestone Brick Kit

Included with Napoleon's Zero Clearance fireboxes, ZCVF36 & ZCVF42 to add to the real wood fire appearance.



LED Accent Light Kit

Optional accents lights are available for Napoleon's vent free Torch[®] and Plazmafire[™] to enhance your surrounding décor and double as an exclusive NIGHT LIGHT.



Decorative Door Kit

Available in Satin Chrome Plated finish to accent Napoleon's Zero Clearance fireboxes, ZCVF36 & ZCVF42.



Safety Screen

Safety screens are available to protect children, pets and visitors against inadvertent contact with glass. Glass and unit temperature can get very hot.

Lava Rocks / Cinders

Designed for placement around the logs to enhance the look and feel of Napoleon's vent free gas log sets.



Bay Front

Bay Front complete with pull screen and standard front brick. Available for GVVF36 fireplace.



Options & Accessories to Customize Your Fireplace

Fronts & Frames



Decorative Frame White Finish



Decorative Frame Red Finish



Decorative Frame Steel Blue Finish



Decorative Frame Diamond Dust Pewter Finish



Decorative Frame Brushed Stainless Steel Finish



Decorative Frame Painted Metallic Black Finish



Mounting Cabinet Brushed Stainless Steel Finish



Mounting Cabinet Painted Metallic Black Finish



Rectangular Surround Diamond Dust Pewter Finish



Rectangular Surround Brown Finish



Rectangular Surround Painted Black Finish



Convex Surround Brushed Stainless Steel Finish


	GVF18	WHVF24	WHVF31	GVF36	GVF42	GVFS20	GVFS60	GVFL18	GVFL24	GVFL30
Louvers (antique brass, polished brass, brushed stainless steel and painted black finishes)	-	-	-	0	0	-	-	-	-	-
Ornamental Insets	-	-	-	0	0	-	-	-	-	-
Bay Front Kit	-	-	-	0	0	-	-	-	-	-
3" Trim (antique brass, polished brass, brushed stainless steel and textured painted black finishes)	-	-	-	0	-	-	-	0*	0*	0*
6" Trim (antique brass, polished brass, brushed stainless steel and textured painted black finishes)	-	-	-	0	-	-	-	-	-	-
Fronts & Frames (white, red, steel blue, diamond dust pewter, brushed stainless steel and painted metallic black finishes)	0	-	-	-	-	-	-	-	-	-
Mounting Cabinets (brushed stainless steel and painted metallic black finishes)	0	-	-	-	-	-	-	-	-	-
Stove Top Insets (lorena slate, ubatuba green and giallo golden brown)	-	-	-	-	-	0	-	-	-	-
Cast Iron Surround Kit (porcelain enamel Majolica brown and painted black finishes)	-	-	-	0*	0	-	-	-	-	-
Rectangular Surrounds (painted black, brown and diamond dust pewter finishes)	-	-	0	-	-	-	-	-	-	-
Convex Surround (brushed stainless steel finish)	-	-	0	-	-	-	-	-	-	-
MIRRO-FLAME® Porcelain Reflective Radiant Panels	S	S	-	0	0	S	-	-	-	-
Decorative Sandstone Brick Panels	-	-	-	0	0	-	0	-	-	-
Traditional Andirons (painted black and 24 Karat gold plated finishes)	-	-	-	0	0	-	0*	S*	S*	S*
LED Accent Lights	0	-	0	-	-	-	-	-	-	-
Cobblestone Brick Kit	-	-	-	-	-	-	-	0*	0*	0*
Decorative Door Kit (satin chrome plated finish)	-	-	-	-	-	-	-	0*	0*	0*
Safety Screen	-	-	0	0	-	-	-	-	-	-
Fireplace Screen	-	-	-	S	S	-	-	S*	S*	S*
Exclusive NIGHT LIGHT	0	-	0	-	-	-	-	-	-	-
Heat Circulating Blower Kit	-	-	-	0	0	0	0	0*	0*	0*
Millivolt Wall Thermostat	-	-	-	0	0	0	0	0	0	0
Electronic Ignition	-	S	S	-	-	-	-	-	-	-
Oxygen Depletion Sensor (ODS)	S	S	S	S	S	S	S	S	S	S
Pre-wired For Wall Switch	-	-	-	S	S	-	-	-	-	-
On/off or Modulating Remote with Digital Screen	-	-	0	0	0	0	0	0	0	0

*Painted black finish only

**Brushed stainless steel finish only

*If Zero Clearance firebox is also installed


Torch™ - GVFT8
Shown on pages 4 & 5



Model	BTU's (Input)		Height (With Cabinet)	Front Width (With Cabinet)	Depth (With Cabinet)	ODS	Efficiencies (Steady State)	Glass Door	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
Torch™	6,000	6,000	49 11/16"	13"	7 9/16"	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under Canadian and American National Standards.


Plazmafire™ - WHVF24
Shown on pages 6 & 7



Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
Plazmafire™ 24	9,000	9,000	22"	N/A*	32 3/8"	N/A*	6 7/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under Canadian and American National Standards.

Plazmafire™ - WHVF31
Shown on pages 6 & 7




Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Glass Door	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
Plazmafire™ 31 - Rectangular	20,000	20,000	28"	N/A*	43 5/16"	N/A*	7 3/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes
Plazmafire™ 31 - Convex	20,000	20,000	29 1/2"	N/A*	48 3/8"	N/A*	9 1/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under Canadian and American National Standards.

*Consult your owners' manual for wall bracket installations. Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials. Vent Free units are not approved in Canada and some States. Plazmafire™ 24 & 31 manufactured in China at Napoleon® Guangzhou.


GVF36 - 36" Fireplace
Shown on pages 8 & 9



Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
GVF36	30,000	30,000	35 1/2"	35 3/4"	37 3/8"	37 3/4"	13 1/4"	13 1/2"	Standard	99.9%	Standard	Optional	Yes	No

Certified under Canadian and American National Standards.


GVF42 - 42" Fireplace
Shown on pages 10 & 11



Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
GVF42	30,000	30,000	38 1/2"	39"	42"	42 1/2"	22"	22 1/2"	Standard	99.9%	Standard	Optional	Yes	No

Certified under Canadian and American National Standards.

Arlington™ - GVFS20
Shown on pages 12 & 13




Model	BTU's (Input)		Height	Front Width	Depth	ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
Arlington™	23,000	23,000	25 3/8"	19 1/4"	15 3/4"	Standard	99.9%	Standard	Optional	Yes	No

Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials. Vent Free units are not approved in Canada and some States.

GVFS60 - Gas Stove

Shown on pages 14 & 15





Model	BTU's (Input)		Height	Front Width	Depth	ODS	Efficiencies (Steady State)	Safety Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
GVFS60	30,000	30,000	30 1/2"	27"	17 7/8"	Standard	99.9%	Standard	Optional	Yes	No

Certified under Canadian and American National Standards.

FIBERGLOW[™] Log Sets

Shown on pages 16 & 17

Model	Minimum Size Fireplace Opening		
	Height	Width	Depth
FIBERGLOW [™] 18"	18"	24"	14"
FIBERGLOW [™] 24"	18"	28"	14"
FIBERGLOW [™] 30"	18"	34"	14"




Certified under Canadian and American National Standards.

Zero Clearance Kits for Vent Free Log Sets

Shown on pages 16 & 17

Model	Minimum Size Fireplace Opening		
	Height	Width	Depth
ZCVF36	32 3/4"	42 1/2"	21 1/4"
ZCVF42	35 3/4"	47 1/8"	21 1/4"



Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials. Vent Free units are not approved in Canada and some States.

Other Napoleon Products



Fireplace Inserts • Charcoal Grills • Gas Fireplaces • Mantels • Wood Stoves
 Hybrid Furnaces • Electric Fireplaces • Heating & Cooling • Gourmet Grills



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
 103 Miller Drive, Crittenden, Kentucky, USA 41030
 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031
napoleonfireplaces.com



Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel Ltd. Vent free units are not approved in Canada and some States.

Authorized Dealer